



# AllSome Track Documentation

## API Specification for AllSome Track Integration

*(Version 2.0)*

Last updated on 20 Jul, 2016

### **AllSome Track**

WhatsApp: (+60)14 2340627

Email: [hello@allsome.my](mailto:hello@allsome.my)

Homepage: <https://track.allsome.my>

## Table of Contents

Introduction .....	3
Benefit.....	3
AllSome Track API Flow.....	4
Create Tracking Entry to AllSome Track.....	5
Retrieve Tracking Entry (By Tracking ID and Logistic Company).....	7
Retrieve Tracking Entry (By Unique ID).....	10
Update Tracking Entry to AllSome Track .....	11
Show Tracking (Widget).....	13

## Introduction

AllSome Track is a parcel tracking system which allows online merchants and buyers to track and get notified at one place, with one single mobile number. As currently the customers are relying heavily on e-commerce for their purchases, product logistic and delivery is as important as the product itself. We understand that without a proper parcel tracking system, it is time-consuming to track the parcel individually while answering to customers' enquiries, including:

- What's my tracking number?
- Where's my parcel?
- When will I receive it?
- How and where can I track it?


Therefore, we proudly present AllSome Track Parcel Tracking System to cater your requirements. AllSome Track provides services to help online merchants to track the parcels, effectively. The features have included:

- Create new parcel tracking entry
- Track the parcel with buyers and/or online merchants' mobile number
- SMS notification when the parcel is collected from online merchants
- SMS notification when the parcel is out for delivery to buyers' doorstep

## Benefit

- Time saving. Notification to buyers regarding the parcels are done seamlessly, automatically.
- Reduce and low customer support effort. Buyers are well-informed regarding their parcels before their intention to track. Besides, buyers could easily track their parcels themselves through AllSome Track. It has greatly reduce the needs of customer support answering to similar parcel-related questions.
- High customer satisfaction. Competition out there is huge and stand out your services compared to other online merchant.

## AllSome Track API Flow



There are only FIVE (5) main methods for the API, which are:

- create
- getbycode
- getbyid
- update
- trackshow

Both methods are requested by POST operation with parameters / variables. In order to complete the action, a valid API key is required. For current moment, you may contact [hello@allsome.my](mailto:hello@allsome.my) or 014-2340627 (Whatsapp) for getting your unique API key.

## Create Tracking Entry to AllSome Track

To use the API method, a valid API key is required. If you have not yet obtained one, please kindly contact us through [hello@allsome.my](mailto:hello@allsome.my) and/or 014-2340627 (WhatsApp) for details.

**API Request URL:** <https://track.allsome.my/api/create>

**Request Method:** POST

### Required Parameters / Variables

Variable Name	Description	Sample
key	A valid API key (usually 12 characters long)	5xx69x65xxx8
trackcode	The tracking number	EX101013928MY
logcompany	Courier company	LG001 => Malaysia Post EMS / Poslaju LG002 => Citylink Express LG003 => SkyNet LG004 => GDex LG005 => Ta-Q-Bin LG006 => Airpark Express LG007 => Kangaroo LG008 => DHL LG009 => ABX Express LG011 => Nationwide Express LG012 => DPE LG013 => Ninja Van (Malaysia)
senderno	Sender's mobile number	+60142340627
recipientno	Recipient's mobile number	+60125527281
remark	Special remark	Send after 10.30am
platform	Platform which you have sold the item	PF001 => Allsome Ada Store PF002 => 11Street PF003 => Lelong PF004 => Mudah PF005 => Lazada PF006 => Rakuten PF007 => Zalora PF008 => Carousell PF009 => Groupon PF010 => Lowyat PF011 => Facebook PF012 => Whatsapp PF013 => SuperBuy PF014 => MySale PF015 => Others PF016 => Shopee
orderid	Order ID	001018098 To sync the tracking information back to corresponding e-commerce sites (e.g 11Street / Lelong.my), enter the order ID of the e-commerce site.
sku	Product SKU	201601X26

## Return Values

Variable Name	Description	Sample
s	Status	success error
id	Unique ID. A unique ID will be returned only if the request is successfully and the tracking entry is created.	0a51926d7cd4 (this unique id may allow you to update your tracking entry using <i>update</i> method)
message	(Error) Message.	

## Sample Request (PHP)

```
<?php
    $apiKey = '5xx69x65xxx8';
    $apiURL = 'https://track.allsome.my/api/create';
    $senderno = '+60142340627';
    $recipientno = '+60125527281';
    $postData = array('logcompany' => 'LG002',
                     'trackcode' => '156000520756799',
                     'key' => $apiKey,
                     'senderno' => $senderno,
                     'recipientno' => $recipientno,
                     'remark' => 'Send after 10.30am',
                     'platform' => 'PF015',
                     'orderid' => '001018098',
                     'sku' => '201601X26');

    $options = array(
        'http' => array(
            'header' => "Content-type: application/x-www-form-
urlencoded\r\n",
            'method' => 'POST',
            'content' => http_build_query($data),
        ),
    );

    $context = stream_context_create($options);
    $result = file_get_contents($url, false, $context);
    $jrespond = json_decode($result);
    if($jrespond->s == 'success'){
        echo 'Success. The unique ID is: '.$jrespond->id;
    }else if($jrespond->s == 'error'){
        echo 'Error message: '.$jrespond->message;
    }
}
?>
```

## Special Note

Given that you have updated your API keys for 11Street and/or Lelong.my, the entered tracking entry (either manually through frontend of backend API integration) will be automatically synced to the corresponding platform to reduce your redundant works.

Should you meet any issue, please do not hesitate to reach us through [hello@allsome.my](mailto:hello@allsome.my) or Live Chat at every page.

## Retrieve Tracking Entry (By Tracking ID and Logistic Company)

To use the API method, a valid API key is required. If you have not yet obtained one, please kindly contact us through [hello@allsome.my](mailto:hello@allsome.my) and/or 014-2340627 (WhatsApp) for details.

**API Request URL:** <https://track.allsome.my/api/getbycode>

**Request Method:** POST

### Required Parameters / Variables

Variable Name	Description	Sample
key	A valid API key (usually 12 characters long)	5xx69x65xxx8
trackcode	The tracking number	EX101013928MY
logcompany	Logistic company	LG001 => Malaysia Post EMS / Poslaju LG002 => Citylink Express LG003 => SkyNet LG004 => GDex LG005 => Ta-Q-Bin LG006 => Airpark Express LG007 => Kangaroo LG008 => DHL LG009 => ABX Express LG011 => Nationwide Express LG012 => DPE LG013 => Ninja Van (Malaysia)

## Return Values

Variable Name	Description	Sample
s	Status	success error
message	(Error) Message.	
item	The tracking entry. id: Unique ID of the tracking entry trackcode: Tracking number logcompany: Courier Company senderno: Sender's mobile number recipientno: Recipient's mobile number remark: Special remark platform: E-commerce site which you have sold the item ordered: Order ID sku: Product SKU status: Status of the tracking entry lastcom: The last tracking message / comment	id => '0a51926d7cd4' trackcode => 'EX101013928MY' logcompany => 'LG001' senderno => '+60142340627 ' recipientno => '+60125527281' remark => 'send after 10.30am' platform => 'PF001' orderid => '001018098' sku => '201601X26' status => 'PSCOM' lastcom => 'Delivered' username => 'yourusername'
		<b>Logistic Company Value</b> LG001 => Malaysia Post EMS / Poslaju LG002 => Citylink Express LG003 => SkyNet LG004 => GDex LG005 => Ta-Q-Bin LG006 => Airpark Express LG007 => Kangaroo LG008 => DHL LG009 => ABX Express LG011 => Nationwide Express
		<b>Platform Value</b> PF001 => Handy Store PF002 => 11Street PF003 => Lelong PF004 => Mudah PF005 => Lazada PF006 => Rakuten PF007 => Zalora PF008 => Carousell PF009 => Groupon PF010 => Lowyat PF011 => Facebook PF012 => Whatsapp PF013 => SuperBuy PF014 => MySale PF015 => Others PF016 => Shopee
		<b>Status Value</b> PSAIR => Arrived Domestic Airport PSCLT => Collected / Info Received



		PSCOM => Delivered PSDEL => Entry Deleted PSDLV => Out for Delivery PSFAT => Failed Attempt PSLST => Lost Package PSPEN => Pending PSTRS => In Transit PSWAR => Late Alert
--	--	---

### Sample Request (PHP)

```

<?php
    $apiKey = '5xx69x65xxx8';
    $apiURL = 'https://track.allsome.my/api/getbycode';
    $postData = array('logcompany' => 'LG002',
                      'trackcode' => '156000520756799',
                      'key' => $apiKey, 'ac' => 'getbcode');
    $options = array(
        'http' => array(
            'header' => "Content-type: application/x-www-form-
urlencoded\r\n",
            'method' => 'POST',
            'content' => http_build_query($data),
        ),
    );
    $context = stream_context_create($options);
    $result = file_get_contents($url, false, $context);
    $jrespond = json_decode($result);
    if($jrespond->s == 'success'){
        echo `Success. The entry info is: `.print_r($jrespond->item);
    }else if($jrespond->s == `error'){
        echo `Error message: `.$jrespond->message;
    }
?>

```

## Retrieve Tracking Entry (By Unique ID)

To use the API method, a valid API key is required. If you have not yet obtained one, please kindly contact us through [hello@allsome.my](mailto:hello@allsome.my) and/or 014-2340627 (WhatsApp) for details. The unique ID of the tracking entry will be returned when an entry was successfully created through *create* method.

**API Request URL:** <https://track.allsome.my/api/getbyid>

**Request Method:** POST

### Required Parameters / Variables

Variable Name	Description	Sample
key	A valid API key (usually 12 characters long)	5xx69x65xxx8
id	Unique ID	0a51926d7cd4

### Return Values

The returning values are exactly same as the return values from retrieve tracking entry (by tracking ID and logistic company above).

### Sample Request (PHP)

```
<?php
    $apiKey = '5xx69x65xxx8';
    $apiURL = 'https://track.allsome.my/api/getbyid';
    $postData = array('id' => '0a51926d7cd4',
                     'key' => $apiKey);

    $options = array(
        'http' => array(
            'header' => "Content-type: application/x-www-form-
urlencoded\r\n",
            'method' => 'POST',
            'content' => http_build_query($data),
        ),
    );

    $context = stream_context_create($options);
    $result = file_get_contents($url, false, $context);
    $jrespond = json_decode($result);
    if($jrespond->s == 'success'){
        echo 'Success. The entry info is: '.print_r($jrespond->item);
    }else if($jrespond->s == 'error'){
        echo 'Error message: '.$jrespond->message;
    }
?>
```

## Update Tracking Entry to AllSome Track

To use the API method, a valid API key is required. If you have not yet obtained one, please kindly contact us through [hello@allsome.my](mailto:hello@allsome.my) and/or 014-2340627 (WhatsApp) for details.

**API Request URL:** <https://track.allsome.my/api/update>

**Request Method:** POST

### Required Parameters / Variables

Variable Name	Description	Sample
key	A valid API key (usually 12 characters long)	5xx69x65xxx8
id	Unique ID	a51926d7cd4
trackcode	The tracking number	EX101013928MY
logcompany	Courier company	LG001 => Malaysia Post EMS / Poslaju LG002 => Citylink Express LG003 => SkyNet LG004 => GDex LG005 => Ta-Q-Bin LG006 => Airpark Express LG007 => Kangaroo LG008 => DHL LG009 => ABX Express LG011 => Nationwide Express LG012 => DPE LG013 => Ninja Van (Malaysia)
senderno	Sender's mobile number	+60142340627
recipientno	Recipient's mobile number	+60125527281
remark	Special remark	Send after 10.30am
platform	Platform which you have sold the item	PF001 => Allsome Ada Store PF002 => 11Street PF003 => Lelong PF004 => Mudah PF005 => Lazada PF006 => Rakuten PF007 => Zalora PF008 => Carousell PF009 => Groupon PF010 => Lowyat PF011 => Facebook PF012 => Whatsapp PF013 => SuperBuy PF014 => MySale PF015 => Others PF016 => Shopee
orderid	Order ID	001018098 To sync the tracking information back to corresponding e-commerce sites (e.g 11Street / Lelong.my), enter the order ID of the e-commerce site.
sku	Product SKU	201601X26

## Return Values

Variable Name	Description	Sample
s	Status	success error
id	Unique ID	0a51926d7cd4
message	(Error) Message.	
pmessage	(Platform Error) Message, which are error message from 11Street, Lelong.my and etc.	

## Sample Request (PHP)

```
<?php
    $apiKey = '5xx69x65xxx8';
    $apiURL = 'https://track.allsome.my/api/create';
    $senderno = '+60142340627';
    $recipientno = '+60125527281';
    $postData = array('id' => '0a51926d7cd4',
                     'logcompany' => 'LG002',
                     'trackcode' => '156000520756799',
                     'key' => $apiKey,
                     'senderno' => $senderno,
                     'recipientno' => $recipientno,
                     'remark' => 'Send after 10.30am',
                     'platform' => 'PF015',
                     'orderid' => '001018098',
                     'sku' => '201601X26');

    $options = array(
        'http' => array(
            'header' => "Content-type: application/x-www-form-
urlencoded\r\n",
            'method' => 'POST',
            'content' => http_build_query($data),
        ),
    );
    $context = stream_context_create($options);
    $result = file_get_contents($url, false, $context);
    $jrespond = json_decode($result);
    if($jrespond->s == 'success'){
        echo `Success. The unique ID is: '.$jrespond->id;
    }else if($jrespond->s == `error'){
        echo `Error message: '.$jrespond->message;
    }
?>
```

## Special Note

Given that you have updated your API keys for 11Street and/or Lelong.my, the entered tracking entry (either manually through frontend of backend API integration) will be automatically synced to the corresponding platform to reduce your redundant works.

Should you meet any issue, please do not hesitate to reach us through [hello@allsome.my](mailto:hello@allsome.my) or Live Chat at every page.

## Show Tracking (Widget)

To use the API method, a valid API key is required. If you have not yet obtained one, please kindly contact us through [hello@allsome.my](mailto:hello@allsome.my) and/or 014-2340627 (WhatsApp) for details.

**API Request URL:** `https://track.allsome.my/api/trackshow.php/<uniqueid>/<apikey>`

**Request Method:** iFrame


### Required Parameters / Variables

Variable Name	Description	Sample
key	A valid API key (usually 12 characters long)	5xx69x65xxx8
id	Unique ID of the tracking entry. You may get this unique ID after successfully submitted the tracking entry to AllSome Track through <i>create</i> method.	0a51926d7cd4

### Sample iFrame (HTML)

```
<html>
<body>
  <iframe
src="https://track.allsome.my/api/trackshow/0a51926d7cd4/5xxx69x65xxx8"
width="100%" height="500"></iframe>
</body>
</html>
```

### Sample Output



The screenshot displays the AllSome logo at the top. Below it is a widget titled "Track | Trace table" with a green header and a white body. The widget shows a vertical timeline of three tracking events:

- Consignment dispatch out from Transit Office**  
PL GTM PMIH  
04 Mar 2016, 03:09 AM
- Item dispatched out**  
Balakong PPL  
03 Mar 2016, 05:12 PM
- Item picked up**  
Balakong PPL  
03 Mar 2016, 04:14 PM

At the bottom of the widget area, there is a disclaimer: "All product and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them."